




Beta

RSC55




**MODULAR
SYSTEM**



50 Years in Motorsports







WORKSHOP EQUIPMENT C55

The modular workshop combination that allows you to create a modern work environment customized to fit your space and storage needs. Choose from a wide range of solutions sharing high quality standards, designed to make the most of your time by optimizing work.



SPACE ORGANIZATION

A rationally organized workbench system as synonymous with optimized work

DESIGN

Refined finish to make your workplace a neat, aesthetically captivating environment

MADE IN ITALY



QUALITY

Beta's best
"Made in Italy"
quality to furnish
your workshop

MODULARITY

Modular workshop
system, customized
to fit your space
and storage needs

C55 055000000

Comprehensive workshop equipment combination

Comprehensive combination comprising:

- Single-door tool cabinet (C55A1)
- Two-door tool cabinet (C55A2)
- Workbench (C55BO/2)
- Workbench with sockets (C55PRO BO/2)
- Mobile roller cab with 7 drawers (C55C7)
- Fixed module with 2 storage drawers (C55M2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)
- Tool panel with shutter (C55PS-0)



Cabinets fitted with 3 interior, vertically adjustable shelves



Suspended cabinets fitted with gas springs making it easier to open/close doors



Compressed air outlet with built-in roller Ø 8 mm. Hose length: 10 m




Aluminium drawer front complete with quick release system throughout length of drawer



Aluminium shutter with lock for protecting tools



COMBINATION



Framework



Schuko socket
16+10A
and EU Plug 10A



Drawers can accommodate
thermoformed tool trays
available in price list



Mobile roller cab with 2 fixed
and 2 steering wheels,
making it easy to pull it out



Adjustable supporting feet
suitable for uneven surfaces

WORKSHOP EQUIPMENT COMBINATION



C55AB



055000020


Workshop equipment combination

Combination comprising:

- Two-door tool cabinet (C55A2)
- Workbench (C55B0/2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)

407 kg








C55PB/3 055000035

Workshop equipment combination

Combination comprising:

- Workbench (C55B0/2)
- Mobile roller cab module with 8 drawers (C55C8)
- Fixed module with 2 storage drawers (C55M2)
- Wall tool system with shutter (C55PS-0)




C55PB-PRO/7 055000065

Workshop equipment combination

Composed of:

- Workbench with worktop (C55B0/2)
- Fixed module with seven drawers (C55M7)
- Fixed service module (C55MS)
- Tool wall system (C55/2PM)
- 2 suspended cabinets (C55/PF)




C55PB-PRO/8 055000066

Workshop equipment combination

Composed of:

- Workbench with worktop (C55B0/2)
- Mobile roller cab with seven drawers (C55C7)
- Tool wall system with shutter and framework (C55PS-0)
- Fixed two-door module (C55MA)



WORKBENCH

Choosing the workbench means the first step in any workshop furniture project.

We at Beta offer pre-arranged solutions in versions 2, 2.8 and 4 metres in length (pages 14÷15), in grey and orange colours. However, you can configure the workbench according to your requirements, choosing the worktop (page 17) and the legs (page 16), which can be used for both sides, are fitted with vertically adjustable feet and are available in single and double versions, with power sockets and hose or cable reels.



The modules under the workbenches are the heart of the project: mobile or fixed, with drawers or service equipment (pages 18÷21).

The modular system also provides several different solutions for the upper part: plain, suspended or shuttered panels, which can accommodate power sockets (pages 20÷24, 26).



Furthermore, a wide range of accessories allows you to complete the project, adapting it to your requirements (pages 30÷31).



The modular project can be extended and changed in time, as requirements and available spaces vary.



**WORKBENCH
2 m**



**WORKBENCH
2,8 m**



**WORKBENCH
4 m**



WORKBENCH



- Vertically adjustable feet

C55B/2

2-m-long workbench

Worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 2 modules under worktop
- Vertically adjustable feet



C55B0/2

055000101



C55B2/2

055000111

Two versions differ in worktop colour

800 kg



105 kg



C55B/2,8

2.8-m-long workbench

Worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 3 modules under worktop
- Vertically adjustable feet



C55B0/2,8

055000261




C55B2/2,8


055000281

Two versions differ in worktop colour

600 kg



129 kg



C55B/D4

Double 4-m-long workbench with central leg

Worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice 1599F/150 (to be ordered separately)
- Vertically adjustable feet
- Double central leg with compartment and slide-away door, 350x750 mm



C55B0/D4

055000109




C55B2/D4


055000119

Two versions differ in worktop colour

1600 kg



185 kg





**WORKTOP (2050X700 MM) COVERED WITH A SHOCKPROOF, NON-SCRATCH PVC COAT, RESISTANT TO HYDROCARBONS
BUILT-IN SOCKETS AND ROLLER:**

- Schuko socket+16+10A
- EU Plug 10A
- Compressed air outlet and roller, Ø 8 mm. Hose length: 10 m
- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 2 modules under worktop
- Vertically adjustable feet


C55PRO B/2

2-m-long workbench

- Can accommodate 2 modules under worktop



Two versions differ in worktop colour





C55PRO B/2,8

2.8-m-long workbench

- Can accommodate 3 modules under worktop



Two versions differ in worktop colour




C55PRO B/D4

Double 4-m-long workbench with central leg

- Central double leg with slide-away door compartment, 365x750 mm



Two versions differ in worktop colour




LEGS FOR WORKBENCH

C55B/G 055000096

Universal leg for workbench


- With vertically adjustable feet
- Can be used for both workbench sides
- Front and side opening



C55B/GAA 055000099

Universal leg for workbench with built-in hose reel


- Built-in automatic hose reel for compressed air or cold water (Ø 8 mm) item 1901BM/8
- Hose length: 10 m
- With vertically adjustable feet
- Front and side opening



C55B/GDS 055000291

Double leg for adjoining workbenches


- Compartment with slide-away door, 365x750 mm
- With vertically adjustable feet



C55B/GDP 055000292

Double leg for adjoining workbenches


- Paper roll holder compartment
- Compartment with door
- With vertically adjustable feet



C55B/GE 055000097

Universal leg with power sockets for workbench


- Schuko socket+16+10A
- EU Plug 10A
- With vertically adjustable feet
- Front and side opening



C55B/GAE 055000094

Universal leg with built-in electrical cable reel for workbench

- Built-in automatic cable reel with Schuko type socket item 1848.
- Cable length: 15 m
- Thermally protected
- With vertically adjustable feet
- Front and side opening



WORKTOPS

C55/PL-1,024

C55/PL0-1,024 055000130
C55/PLG-1,024 055000131
Two versions differ in worktop colour

1-m-long worktop for extension of workbench

Painted sheet metal worktop (1024x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons



C55B PT/2

C55B0 PT/2 055000106
C55BG PT/2 055000116
Two versions differ in worktop colour

2-m-long worktop, for workbench

Painted sheet metal worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
Holes for a vice (1599F/150, to be ordered separately)



C55B PT/2,8

C55B0 PT/2,8 055000266
C55BG PT/2,8 055000286
Two versions differ in worktop colour

2.8-m-long worktop, for workbench

Painted sheet metal worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
Holes for a vice (1599F/150, to be ordered separately)



C55RB

Scratch-proof PVC coat resistant to hydrocarbons



for 700x700mm long workbench

055000199

for 1-m-long workbench

055000198

for 2-m-long workbench

055000195


for 2.8-m-long workbench

055000196

1599F/150

015990150

Parallel bench vice with hardened top and slides



| L1 | BxH | Ø | A Max |
|--------|-----------|-------|--------|
| 150 mm | 125x62 mm | 13 mm | 200 mm |

C55B/VS


055000095

Lower workbench bracket for workshop workbenches

Dimensions 800x230x60 mm



WORKBENCH MODULES




C55T3

055000219

Trolley

- 3 tops covered in antislip ribbed rubber
- Ergonomic handle
- Two fixing options for central worktop
- Four castors Ø 100 mm: 2 fixed and 2 steering with brake
- Static load capacity: 200 kg (distributed between 3 shelves)




C55C7

055000201

Mobile roller cab with 7 drawers

- 7 drawers (588x367 mm), with ball bearing slides
- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays




C55C8 055000206

Mobile roller cab with 8 drawers

8 drawers (588x367 mm) with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays




C55M4 055000212

Fixed module with 4 drawers

4 drawers (588x367 mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock




C55M7 055000203

Fixed module with 7 drawers

7 drawers (588x367 mm) with ball bearing slides


- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays



C55M8 055000207

Fixed module with 8 drawers


- 8 drawers (588x367 mm) with ball bearing slides**
- Aluminium opening system throughout length of drawer
 - Drawer bases protected by foamed rubber mats
 - Front centralized lock
 - Can be fitted with foam trays



C55M2 055000202

Fixed module with 2 drawers

- 2 drawers (588x367mm) with ball bearing slides**
- Aluminium opening system throughout length of drawer
 - Drawer bases protected by foamed rubber mats
 - Front centralized lock



C55MS 055000204

Fixed service module

- Built-in waste bin
- Perforated paper roll compartment
- Storage drawer, 305x270 mm




C55CS

055000208

Fixed module for separate waste

- Pull-out waste compartment (588x465 mm) with ball bearing slides
- 2 capacious pull-out interior containers for sorting waste




62 kg

C55MA

055000205

Fixed two-door module

- Push Pull opening
- With lock
- Interior shelf, vertically adjustable




75 kg

C55MDO

055000210

Fixed oil distribution module

- 2 reels with 7m - 1/2" hose included
- Complete with 2 oil guns with digital litre counter with automatic drip catcher.
 - max. delivery rate: 0÷35 l/min
 - viscosity: 8÷5000 mPas



94 kg

WALL SYSTEMS

1m



C55PFA-1,0

C55PFA-1,0

055000316

Self-supporting perforated panel, 1-m-long

Perforated steel tool panel (1024x1020x25 mm)



C55PM

C55PM

055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door



C55PT1,0x0,6

C55PT1,0X0,6

055000314

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm



C55PM

C55PM

055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

C55PTE-1,0

C55PTE-1,0

055000319

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm
Accommodates 2 power sockets (not included)



C55PM

C55PM

055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

C55PT1,0x0,6
C55/PF

C55PT1,0X0,6

055000314

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm

C55/PF

055000307

Perforated under-cabinet panel, 1-m-long

Perforated tool panel (1024x620 mm) designed to match C55PT1,0X0,6



C55P/MCD

055000257

Double central intermediate uprights



2000




WALL SYSTEMS

2 m


C55/2PM 055000301

Tool wall system with 2 suspended cabinets

- 2 suspended cabinets, 1024x400x300 mm, fitted with gas springs, making it easier to open and close doors
- 2 wall panels, 1024x620 mm; can accommodate perforated tool panels C55/PF (to be ordered separately)
- Supplied with framework
- Matches 2-m-long workbench



 80 kg




C55PFA-1,0

 055000316

Self-supporting perforated panel, 1-m-long

Perforated steel tool panel (1024x1020x25 mm)




C55PM

 055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

C55PTE-1,0

 055000319

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm
Accommodates 2 power sockets (not included)




C55PM

 055000302

Suspended cabinet, 1-m-long

Dimensions: 1024x400x300 mm; fitted with gas springs, making it easier to open and close door

C55PT1,0x0,6

 055000314

Under-cabinet panel, 1-m-long

Dimensions: 1024x620x25 mm

C55/PF


 055000307

Perforated under-cabinet panel, 1-m-long

Perforated tool panel (1024x620 mm) designed to match C55PT1,0x0,6



C55P/2MDX-SX

 055000253

Right/left wall uprights, pair



C55P/MCD

 055000257

Double central intermediate uprights





WALL SYSTEMS 2 m



C55PS



C55PS-O

055000250



C55PS-G

055000255


Light grey shutter



pg 30-31

Tool wall system with shutter

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Matches 2-m-long workbench



88 kg

C55PSE



C55PSE-O

055000258



C55PSE-G

055000260


Light grey shutter



pg 30-31

Tool wall system with shutter accommodating 2 power sockets

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Accommodates power sockets (not included)
- Matches 2-m-long workbench



88 kg

C55AE

055000325

Profile, 2 m long, accommodating power sockets

Dimensions 2050x25x90 mm



1,5 kg



WALL SYSTEMS ASSORTMENTS

5958U

059581008

Assortment of 85 tools for universal use
hooks included



Quantity/Description

| Quantity/Description | Beta N. |
|---|------------|
| 17 combination wrenches 6÷22 mm | SC 42 |
| 12 offset hexagon key wrenches \odot 2÷10 mm | 96N/SC12 |
| 13 1/2" square drive hexagon sockets with rail \odot 10÷22 mm | 920A/SB13 |
| 8 1/2" square drive hexagon sockets with rail \odot 23÷32 mm | 920A/SB8 |
| 1 1/2" drive extension bar 125 mm | 920/21 |
| 1 1/2" drive extension bar 255 mm | 920/22 |
| 1 1/2" drive universal joint | 920/25 |
| 1 1/2" drive sliding T-handle | 920/42 |
| 1 1/2" drive reversible ratchet \otimes | 920/55 |
| 1 circlip pliers straight, internal \odot 180 mm | 1032 |
| 1 circlip pliers straight, external \bullet 175 mm | 1036 |
| 1 slip joint pliers boxed joints 250 mm | 1048 |
| 1 self - locking pliers 240 mm | 1052 |
| 1 heavy-duty diagonal cutting nippers \nless 160 mm | 1084BM |
| 1 electrician's scissors, straight blades | 1128BMX |
| 1 half-round needle nose pliers \equiv 180 mm | 1150BM |
| 1 extra-long needle nose pliers \bullet 160 mm | 1166BM |
| 7 screwdrivers for cross head screws \bullet 3x75 - 3,5x100 - 4x125 - 5,5x150 - 6,5x150 - 8x200 - 10x200 mm | 1260 |
| 4 screwdrivers for cross head Phillips® screws \oplus PH0x60 - PH1x80 - PH2x100 - PH3x150 mm | 1262/S4 |
| 1 engineer's hammer 300 g | 1370 |
| 1 soft face hammer \varnothing 35 mm | 1390 |
| 1 measuring tape 5 m | 1692 |
| 5 set of 5 second-cut files, with handles 200 mm | 1719BMA/S5 |
| 1 hacksaw frame, aluminium handle | 1725 |
| 1 plastic oil can 150 cc | 1754 |
| 1 snap - off blade utility knife | 1771 |

5957U-P

059571004

Assortment of 133 tools for universal use
hooks included



Quantity/Description

| Quantity/Description | Beta N. |
|---|------------|
| 6 pin punches 2 ÷ 8 mm | 31/SP6 |
| 6 2 drift punches, 1 centre punch, 3 flat chisels with metal holder | 38/SP6 |
| 17 combination wrenches 6÷22 - 24 - 27 - 30 - 32 mm | 42/S17X |
| 12 double open end wrenches 6x7 ÷ 30x32 mm | 55/S12X |
| 8 offset hexagon key wrenches 2 ÷ 10 mm | 96T/S8 |
| 8 offset key wrenches, for Torx® head screws \odot T9 ÷ T40 | 97TX/SC8 |
| 1 adjustable wrench 250 mm | 111 |
| 13 1/2" square drive hexagon sockets with rail \odot 10 ÷ 22 mm | 920A/SB13 |
| 8 1/2" square drive hexagon sockets with rail \odot 23 ÷ 32 mm | 920A/SB8 |
| 7 socket drivers for cross head Phillips® screws \bullet \oplus 1,2x65 - 1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3 | 920LH/SB7 |
| 1 circlip pliers straight, internal \odot 180 mm | 1032 |
| 1 circlip pliers bent, internal \odot 170 mm | 1034 |
| 1 circlip pliers straight, external \bullet 175 mm | 1036 |
| 1 circlip pliers bent, external \bullet 175 mm | 1038 |
| 1 slip joint pliers boxed joints 250 mm | 1048 |
| 1 self - locking pliers 240 mm | 1052 |
| 1 tin snips 250 mm | 1112 |
| 1 electrician's scissors, straight blades | 1128BMX |
| 8 set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 - 6,5x150 - PH0 - PH1 - PH2 | 1263/D8 |
| 2 engineer's hammer 300 - 600 g | 1370 |
| 1 soft face hammer 35 | 1390 |
| 1 measuring tape 5 m | 1692/5 |
| 1 flexible magnetic pick-up tool | 1712E/2 |
| 1 two cutting edges scraper 200 mm | 1717A |
| 1 three - cutting edges scraper 200 mm | 1717B |
| 5 second cut files 200 mm | 1719BMA/S5 |
| 1 metal oil can 200 cc | 1751 |
| 1 snap - off blade utility knife | 1771BM |
| 1 1/2" drive extension bar 125 mm | 920/21 |
| 1 1/2" drive extension bar 250 mm | 920/22 |
| 1 1/2" drive universal joint | 920/25 |
| 1 1/2" drive sliding T-handle | 920/42 |
| 1 1/2" drive reversible ratchet \otimes | 920/55 |
| 1 pry bar | 963 |
| 1 Diagonal cutting nippers \nless 160 mm | 1082BM |
| 1 Heavy-duty diagonal cutting nippers \nless 160 mm | 1084BM |
| 1 toggle lever assisted end cutting nippers \nless 180 mm | 1092V |
| 1 half-round needle nose pliers \equiv 180 mm | 1150BM |
| 1 Extra-long needle nose pliers \bullet 160 mm | 1166BM |
| 1 Extra-long bent needle nose pliers \bullet 160 mm | 1168BM |
| 2 screwdrivers for cross head screws \bullet 8x200 - 10x200 mm | 1260 |
| 1 screwdrivers for cross head Phillips® screws \oplus PH3 8x150mm | 1262 |
| 1 sliding gauge | 1650 |
| 1 hacksaw frame, aluminium handle 420 mm | 1725 |

SOLUTIONS



WALL SYSTEMS 2m + 0,80m



C55PFA-0,8

C55PFA-0,8

055000315

Self-supporting perforated panel, 0.8-m-long

Perforated steel tool panel (800x1020x25 mm)



C55PM/M0,8

C55PTE-0,8

C55PM/M0,8

055000312

Suspended cabinet, 0.8-m-long

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door

C55PTE-0,8

055000318

Under-cabinet panel, 0.8-m-long

Dimensions: 800x620x25 mm
Accommodates 1 power socket (not included)



C55PM/M0,8

C55/1PF

C55PT0,8x0,6

C55PM/M0,8

055000312

Suspended cabinet, 0.8-m-long

Dimensions: 800x400x300 mm; fitted with gas springs making it easier to open and close door

C55PT0,8X0,6

055000313

Under-cabinet panel, 0.8-m-long


Dimensions: 800x620x25 mm

C55/1PF

055000309

Perforated under-cabinet panel, 0.8-m-long

Perforated tool panel (800x620 mm)



C55P/MCD

055000257

Double central intermediate uprights

2000 mm


C55AC



Two versions differ in worktop colour

Self-supporting complete corner

- Worktop (700x700 mm) with legs
- 2 upper tool wall systems complete with 2 fixing shelves (670x160 mm)



C55KAI



Two versions differ in worktop colour

Corner worktop, 700x700 mm combination with legs

Painted sheet metal worktop (700x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons




C55B/1




Two versions differ in worktop colour

Extension workbench, 1-m-long Worktop (1024x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Universal leg with vertically adjustable feet
- 1 fixed module: 7 drawers (588x367 mm) with ball bearing slides



| h | max |
|--------|-------|
| 70 mm | 30 kg |
| 245 mm | 40 kg |



CORNERS



C55KAS

055000370

Upper corner with tool wall systems

- 2 perforated tool wall systems (700x1020x25 mm)
- 2 fixing shelves (670x160 mm)



C55MP

055000374

Steel shelves for corner elements

3 kg




CABINETS

C55AT1 055000421

Sheet metal tool cabinet with clear polycarbonate door


- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm



C55AT2 055000422

Sheet metal tool cabinet with clear polycarbonate door


- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm



C55A1 055000411

Sheet metal single-door tool cabinet


- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm



C55A2 055000412


Sheet metal two-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm




C55A1/R42 055000461

Interior shelf for tool cabinet C55A1/C55AT1



C55A2/R70 055000462

Interior shelf for tool cabinet C55A2/C55AT2



C55C 055000400

Cargo cabinets


Developed on the basis of accurate research conducted with trained, professional users, they provide ideal solutions for working comfortably and rationally. The opening system of the perforated panels of the two doors also allows the interior surface to be made the most of.

Main features:

- 1 drawer with ball bearing slides.
- Easy tool layout according to users' needs.
- Easy wall mounting by means of two slots located at the back of the cabinet.
- Safety lock for both drawers and doors.
- Empty thermoformed tray for 1/2" sockets and accessories.



 37 kg



ACCESSORIES AND TOOL HOOKS FOR PERFORATED PANELS



C45LMP 045000320

LED lamp for workshop equipment combination RSC55

- Length: 630 mm
- Easy to fix under wall cabinet through adhesives
- ON/OFF switch
- 570 lumens


Input: 100-240V 0,6A
Output: 12V 1.50A 18.0W



SPC 088880480

Computer wall bracket


- Matches tool wall systems RSC55
- Dimensions 398x243x138 mm



New

CP 088880470

Wall-mounted bottle holder rack, made of steel



PM/6C 088880440

6-tray tool holder, made of plastic, with support


- Interior dimensions of tray: 80x60 mm




PM/5C 088880450

5-tray tool holder, made of plastic, with support

- Interior dimensions of tray: 95x120 mm



KIT/GPS 088880119




GM



| | Ø |
|-----------|-----|
| 088880250 | 6,5 |
| 088880251 | 9,5 |
| 088880252 | 13 |
| 088880253 | 16 |
| 088880254 | 19 |
| 088880255 | 25 |


S55/8 088880420

55/S8
55AS/8
55MP/S8




S55/12 088880421


55/S12
55/S12X
55AS/12
55MP/S12




ST2P 088880422



TSPP 088880402




S952/10 088880423




S1719BM 088880404

1719BMA: Q-T-P-M-R
1719BMD: Q-T-P-M-R




SGN 088880405


1290N-1292N-1299N/PZ
1260N-1262N-1269N/PZ
1201N-1202N-1209N/PZ




S42/17 088880428



S951/6 088880429




SPG11 088880910




S1203/8 088880430

1203/S8
1263/D8
1293/S8




S96T/8 088880431

96T/S8
97TTX/S8
96T/AS8



96T/SPV 000960958



SB

Socket rails



SB1 L 210 mm 088880201

SB2 L 280 mm 088880202

SB3 L 360 mm 088880203

MB

Socket clips for rails SB



MB0 1/4 088880210

MB1 3/8 088880211

MB2 1/2 088880212

YOUR COLOURS FOR YOUR WORKSHOP

RSC55 allows you to order the benches and tool wall system with shutter in a neutral (grey) version and customize the vertical coloured inserts by choosing from 7 different adhesive tapes.



1.
Order your modules in a neutral colour

2.
Order the vertical insert

Now choose the colour to your taste or according to your company's colours.



C55STR

Adhesive tape 25 mm


Allows to tailor the vertical tapes of garage furniture item C55

| Ral References | Color | Product Code |
|----------------|--------|--------------|
| 2011 | Orange | 055000901 |
| 9006 | Grey | 055000902 |
| 3000 | Red | 055000903 |
| 5015 | Blue | 055000904 |
| 1023 | Yellow | 055000905 |
| 6029 | Green | 055000906 |
| 9016 | White | 055000907 |
| 1035 | Gold | 055000909 |



Imagine and create...



Configure your workshop in 3D online



step 1

Draw the walls

Create the walls according to the dimensions of your workshop.



step 3

View the result in 3D





The combination is immediately displayed in 3D and can be viewed from different angles.



step 2

Design your workbench system

Select and assemble the component parts, to make your own combination.

| ORDINE | CLIENTE | |
|---|--|---------------------------|
| Ordine numero: <input type="text"/> | Azienda: <input type="text"/> | |
| Data: 02 / 12 / 2020 | Cognome e nome: <input type="text"/> | |
| Data consegna: 02 / 01 / 2021 | Indirizzo: <input type="text"/> | |
| Operatore: <input type="text"/> | Telefono: <input type="text"/> | |
| Cod. Alimento: <input type="text"/> | Email: <input type="text"/> | |
| <input checked="" type="checkbox"/> | Note: <input type="text"/> | |
| Banchi da lavoro | | |
|  | Articolo: 05000094 Codice: CS58/04E Descrizione: Gamba universale con avvolgitore elettrico integrato per banco da lavoro arredo ufficio | Quantità: 3 Importo: 0 |
|  | Articolo: 05000099 Codice: CS58/05AA Descrizione: Gamba universale per banco da lavoro con avvolgitro integrato | Quantità: 3 Importo: 0 |
|  | Articolo: 05000106 Codice: CS58 PT12 Descrizione: piano di lavoro da 2 metri per banco arredo ufficio | Quantità: 1 Importo: 0 |
|  | Articolo: 05000206 | Quantità: 2 |

step 4

Request a quote

Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.

CUSTOMIZED MODULES ON REQUEST


**SOFT
MODULE
SYSTEM**




Fill your drawers with customized modules in six steps

(Max size: 1100 x 600 mm)


- 1** Determine your needs and send your project to the Beta dealer
- 2** We will receive and codify your initial assortment of the project
- 3** We will execute the design



| Image | Product | Code Beta |
|-------|--|-----------|
| | Self-locking pliers | 010540022 |
| | Pliers | 010440250 |
| | Pliers | 011500046 |
| | Screwdrivers for slotted head screws | 012011039 |
| | Screwdrivers for cross head Phillips® screws | 012021018 |



- 4** We will submit the final layout for your approval



- 5** We will build the soft modules in Beta's factory in Sovico




- 6** We will deliver the tools in the customized modules



Contact our dealers
www.beta-tools.com/en/find-a-dealer/

5S

is a workplace organization method of Japanese origin. The name is derived from the western transcription of 5 Japanese words:
seiri, seiton, seiso, seiketsu and shitsuke.



Following the 5 steps identified by the words allows a systematic, repeatable method to be implemented with a view to optimized working standards and enhanced operating performance.



BENEFITS

Reduced time loss and improved cost-effectiveness

A proper organization and transport system for your tools will allow you to have everything you need, where you need it, and within reach.

Enhanced quality and productivity


Standard equipment does not always cater to our needs. Creating your equipment on an item-by-item basis will allow you to fully adapt it to your requirements, which will result in improved reliability and performance.

Fewer work accidents

Most accidents occur while using tools. Arranging all necessary items so that they can be easily selected for use and removing all unnecessary items will allow you to minimize misuse and reduce hazards.

Greater efficiency

Reducing the number of defects and errors will allow you to avoid delays, optimize processes and improve the company's results and efficiency.



Beta


Winning, together

Fabio Quartararo

2022 MotoGP
World Championship



Partnership 2022



Beta Utensili S.p.A. | via Volta, 18 | 20845 Sovico (MB) | tel +39 039 20771
www.beta-tools.com