



We at Beta keep investing in Italian-made production and are proud to

THE NEW WORKSHOP EQUIPMENT RANGE



Beta REGEO







Based on the expertise acquired with the two existing workshop equipment ranges, RSC55 and C45PRO, which allowed us to listen to and fully understand professional users' requirements, the project for the new range, RSC50, relies on the following pivotal concepts:

QUALITY



Our acclaimed care in choosing the materials, painstaking attention for detail and, last but not least, the captivating design make the RSC50 a one-of-a-kind workshop equipment range.

FLEXIBILITY



Each workshop equipment combination can be extended or modified at any time as required.

COMPATIBILITY



The drawers in Beta's standard dimensions (588x367 mm) can accommodate the numerous tool modules, which are available in both soft and hard versions, made from EVA and ABS respectively.



EFFICIENCY



Simple, quick installation, based on the optimized production of the various parts of the range.

FUNCTIONALITY AND STURDINESS



The 63-cm-deep worktop means having a large, convenient, functional work surface available. It can be fitted with a vice, thereby allowing heavy-duty jobs to be carried out.



The new workshop equipment range, RSC50, comprises preassembled combinations, developed by Beta for professionals; alternatively, you can design your workplace on your own, choosing from many under-bench modules, wall-mounted cabinets and furnishing accessories. The customized colours of the drawer handles and lights under the worktops and wall-mounted cabinets result in unique workshop equipment, thus making the RSC50 an ideal choice for those who prioritize working in a functional, efficient environment.









RSC50

3 050001045

625 kg


- 1 2,240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 1,495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 self-supporting complete corner (RSC50 AC-G)
- 1 fixed module with 5 drawers (RSC50 M5)
- 1 fixed two-door module (RSC50 MA)
- 5 wall-mounted cabinets (RSC50 PM)
- 5 upper perforated tool panels (RSC50 **PFS**)
- 5 lower perforated tool panels (RSC50 **PFI**)
- 5 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 2 single-door cabinets (RSC50 A1)

















RSC50 L

3 050001050

541 kg

Combination comprising:

- 1 2,240-mm-long worktop (RSC50 **PG/3-2,2MT**)
- 1 750-mm-long worktop (RSC50 **PG/1-0,7MT**)
- 1 fixed service module (RSC50 MS-2AVV) with compressed air hose reel item 1900S 8x10 and cable reel item 1844 15-H05/SCK (included)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 self-supporting complete corner (RSC50 AC-G)
- 1 fixed two-door module (RSC50 MA)
- 1 tool wall system with aluminium shutter and framework (RSC50 PS)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 2 single-door tool cabinets (RSC50 A1)

SUPPLIED







1900S 8x10

1844 15-H05/SCK









RSC50

3 050001000

534 kg

Combination comprising:

- 1 single-door tool cabinet (RSC50 A1)
- 1 750-mm-long worktop (RSC50 PG/1-0,7MT)
- 1 2,240-mm-long worktop (RSC50 **PG/3-2,2MT**)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 4 drawers (RSC50 M4)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed service module (RSC50 MS-AVV) with compressed air hose reel item 1900S 8x10 (included)
- 1 tool wall system with aluminium shutter and framework (RSC50 PS)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 A2)

SUPPLIED



1900S 8x10










🕮 050001040 417 kg



- 1 2,240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed module with built-in sink (RSC50 ML)
- 4 wall-mounted cabinets (RSC50 PM)
- 4 upper perforated tool panels (RSC50 PFS)
- 4 lower perforated tool panels (RSC50 PFI)
- 4 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door tool cabinet (RSC50 A1)












..... 050001035 356 kg



Combination comprising:

- 1 2,240-mm-long worktop (RSC50 **PG/3-2,2MT**)
- 1 fixed service module (RSC50 MS-2AVV) with compressed air hose reel item 1900S 8x10 and cable reel item 1844 15-H05/SCK (included)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed module with 4 drawers (RSC50 M4)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
- 3 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 A2)

400 625 975 945 **⊠Beta** Beta 915 3.155



SUPPLIED





1900S 8x10 1844 15-H05/SCK


Beta




■ 050001030 361 kg



- 1 2,240-mm-long worktop (RSC50 PG/3-2,2MT)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 mobile roller cab with 7 drawers (RSC50 C7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
- 3 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 two-door tool cabinet (RSC50 A2)













..... 050001025 266 kg



- 1 2,240-mm-long worktop (RSC50 **PG/3-2,2MT**)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed two-door module (RSC50 MA)
- 3 wall-mounted cabinets (RSC50 PM)
- 3 upper perforated tool panels (RSC50 PFS)
- 3 lower perforated tool panels (RSC50 PFI)
 3 pairs of right/left uprights (RSC50 P/2MDX-SX)













■ 050001020 230 kg



Combination comprising:

- 1 1,495-mm-long worktop (RSC50 **PG/2-1,5MT**)
- 1 fixed module with 5 drawers (RSC50 M5)
- 1 fixed two-door module (RSC50 MA)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)
- 1 single-door tool cabinet (RSC50 A1)









RSC50 C


..... 050001015


258 kg





- 1 1,495-mm-long worktop (RSC50 **PG/2-1,5MT**)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 1 fixed module with 7 drawers (RSC50 M7)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tools panels (RSC50 PFS)
- 2 lower perforated tools panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 **P/2MDX-SX**)
- 1 single-door tool cabinet (RSC50 A1)














■ 050001010 188 kg



Combination comprising:

- 1 1,495-mm-long worktop (RSC50 PG/2-1,5MT)
- 1 fixed two-door module (RSC50 MA)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 tool wall system with aluminium shutter and framework (RSC50 PS)







192 kg

RSC50 A

3 050001005



- 1 1,495-mm-long worktop (RSC50 **PG/2-1,5MT**)
- 1 fixed module with 7 drawers (RSC50 M7)
- 1 fixed service module with 2 drawers (RSC50 MS-2C)
- 2 wall-mounted cabinets (RSC50 PM)
- 2 upper perforated tool panels (RSC50 PFS)
- 2 lower perforated tool panels (RSC50 PFI)
- 2 pairs of right/left uprights (RSC50 P/2MDX-SX)









Painted sheet metal worktop, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons.

- Holes for a vice (1599P/125, to be ordered separately) on both sides
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light under-workbench modules.



• Supplied complete with two exterior side pads.



RAL 7046	L mm	P mm	kg	
RSC50 PG/1-0,7MT	750	630	12,4	050001107
RSC50 PG/2-1,5MT	1.495	630	24,5	050001114
RSC50 PG/3-2,2MT	2.240	630	36,5	050001122



RAL 7016	L mm	P mm	kg	
RSC50 PA/1-0,7MT	750	630	12,4	050001108
RSC50 PA/2-1,5MT	1.495	630	24,5	050001115
RSC50 PA/3-2,2MT	2.240	630	36,5	050001123



Shockproof, non-scratch PVC coat, resistant to hydrocarbons




A must-have for protecting worktops

RSC50 RB/0,63	for corner worktop, 630x630 mm	050001140
RSC50 RB/0,75	for 750-mm-long worktop	050001141
RSC50 RB/1,5	for 1,495-mm-long worktop	050001142
RSC50 RB/2,2	for 2,240-mm-long worktop	050001143

RSC50 T3


050001253

22,3 kg



- Four swivel castors, Ø 100 mm (two with brakes)
- Static load capacity: 200 kg (distributed over 3 shelves)











■, 050001205 51,4 kg




Mobile roller cab with 5 drawers


for workshop equipment combination RSC50

- 5 drawers (588x367 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (2 with brakes)
- Drawer bases protected by foamed rubber mats
- · Front centralised lock
- · Handles built into frame for improved ease of handling
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays














3 050001207


₫ 800 kg


Mobile roller cab with 7 drawers

for workshop equipment combination RSC50

- 7 drawers (588x367 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (2 with brakes)
- Drawer bases protected by foamed rubber mats
- · Front centralised lock
- · Handles built into frame for improved ease of handling
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays








56,3 kg

59 kg





■ RSC50 C8


Beta


å 800 kg

Beta


Mobile roller cab with 8 drawers

- 8 drawers (588x367 mm) with ball bearing slides
- 4 swivel castors, Ø 100 mm (2 with brakes)
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- Handles built into frame for improved ease of handling
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays














050001224 44,5 kg




Fixed module with 4 drawers,


for workshop equipment combination RSC50

- 4 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- · Front centralised lock
- · With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays





h	max
140 mm	30 kg
280 mm	35 kg





RSC50 M5

· 050001225


⊠Beta


Beta

Beta

Fixed module with 5 drawers,

- for workshop equipment combination RSC50 • 5 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- · Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays








47 kg

52 kg






RSC50 M7


l 050001227

⊞Beta


Fixed module with 7 drawers,

- 7 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- · Front centralised lock
- · With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays














■ 050001228 53,2 kg





Fixed module with 8 drawers,


for workshop equipment combination RSC50

- 8 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- · Front centralised lock
- · With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays












RSC50 M10


3 050001230

Fixed module with 10 drawers,


for workshop equipment combination RSC50

- 10 drawers (588x367 mm) with ball bearing slides
- Drawer bases protected by foamed rubber mats
- Front centralised lock
- With vertically adjustable feet
- Each drawer can accommodate up to 4 EVA foam or ABS thermoformed trays





58,2 kg





RSC50 **MS-2C**

Fixed service module,

- Two drawers, 310x370 mm, 180 mm high, with ball bearing slides (interior dimensions)
- With vertically adjustable feet





Paper roll compartment







■ 050001241 **41,5 kg**





Fixed service module,

for workshop equipment combination RSC50, empty

Can accommodate **one reel**, to be chosen from the following models:

- compressed air hose reel item 1900S 8x10
- cable reels items 1843 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1844 15-H05/SCK, 1844 15-H07/SCK, 1845 12-H05, 1846 10-H05, 1846 10-H07 e 1846 15-H05
- Built-in waste bin
- Paper roll compartment
- · With vertically adjustable feet







RSC50 MS-2AVV

3 050001242

41,7 kg



⊠Beta

Fixed service module,


for workshop equipment combination RSC50, empty


Can accommodate **two reels**, to be chosen from the following models:

- compressed air hose reel item 1900S 8x10
- cable reels items 1843 15-H05, 1844 10-H05, 1844 15-H05, 1844 15-H07, 1844 15-H05/SCK, 1844 15-H07/SCK, 1845 12-H05, 1846 10-H05, 1846 10-H07 e 1846 15-H05



- · Paper roll compartment
- With vertically adjustable feet







RSC50 MA


3 050001222


MBeta

34 kg



- · With lock
- · Vertically adjustable interior shelf
- Interior dimensions: 615x435x740 mm
- With vertically adjustable feet














<u>■ 050001245</u> 36 kg



Fixed sorted waste collection module, for workshop equipment combination RSC50

- Pull-out waste compartment (588x355x580 mm) with ball bearing slides
- 2 capacious pull-out interior containers for sorting waste
- With vertically adjustable feet







RSC50 ML

■ 050001244


33,5 kg




Fixed module with built-in sink,

for workshop equipment combination RSC50

- · Stainless steel basin
- · Supplied complete with:
- 1 mixer tap
- 1 drain unit
- 1 sink stopper
- 1 filter cap
- 1 soap dispenser



- Useful interior dimensions: 615x435x575 mm
- With vertically adjustable feet





RSC50 MDO


3 050001250

74 kg



Fixed oil distribution module,

- 2 reels with 7m 1/2" hose included
- Complete with 2 guns with digital litre counter and automatic drip
- max. flow rate: 30 I/min
- viscosity: 8÷2000 mPas
- With vertically adjustable feet







3 050001411

66 kg


90 kg

Sheet metal single-door tool cabinet,

for workshop equipment combination RSC50

- 4 removable, vertically adjustable shelves
- With lock
- Interior dimensions: 590x615 mm
- With vertically adjustable feet



















- 4 removable, vertically adjustable shelves
- With lock
- Interior dimensions: 910x615 mm
- With vertically adjustable feet







· 050001312

2,5 kg

Upper perforated tool panel,

for workshop equipment combination RSC50



050001313

3,8 kg

Lower perforated tool panel,

for workshop equipment combination RSC50

RSC50 PFI













· Can accommodate a 19" rack multi-socket (not included)









RSC50 P/2MDX-SX

- 050001352

8,5 kg

Pair of right/left uprights,

for workshop equipment combination RSC50



14,8 kg


Kit of perforated tool panels,


for workshop equipment combination RSC50

RSC50 KPF



- 1 upper perforated tool panel, 650x400x25 mm
- 1 lower perforated tool panel, 650x625x25 mm, can accommodate a 19" rack multi-socket (not included)
- 1 pair of right/left uprights













■ 050001302 14 kg

Wall-mounted cabinet,

for workshop equipment combination RSC50

- Fitted with gas springs, making it easier to open and close door
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath and/or interior of suspended cabinet








Triangular shelf, for workshop equipment combination RSC50

 Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



₹ 740x300x400 mm










R3C30 P3



Tool wall system with shutter,

for workshop equipment combination RSC50

- · Aluminium shutter, vertically adjustable, with lock
- · Removable perforated tool panels
- Supplied with framework








16 kg

77 kg

Lower corner element, 630x630 mm

 Painted sheet metal worktop (630x630 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons







🖳 050001335



RAL 7046



Ġ.

RSC50 KAI-A

RAL 7016






41 kg



Self-supporting complete corner,

for workshop equipment combination RSC50

- Painted sheet metal worktop, 630x630x30 mm, covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons
- 2 lower perforated tool panels, 650x625x25 mm, can accommodate a 19" rack multi-socket (not included)
- 2 upper perforated tool panels, 650x400x25 mm
- · Supplied complete with framework





4 050001330



RAL 7046



4 05000132



RAL 7016



..... 050001710

1 ka

Linear guard, for workshop equipment combination RSC50

- To be applied to perforated tool panels
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



🖳 050001711

1,7 kg

Corner guard, for workshop equipment combination RSC50

- To be applied to perforated tool panels of corner module
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath









5000 RSC50/MP

2.3 kg

Shelf, for workshop equipment combination RSC50

 Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath



== 740x140x80 mm



🖳 050001706

3 kg

Corner shelf, 140 mm deep, for workshop equipment combination RSC50

- Dimensions: 630x630x35 mm, 140 mm deep
- To be applied to perforated panels of corner module RSC50 AC
- Designed for application of aluminium profiles with LED strips item 5000 RSC50/PLED or 5000 RSC50/PLED-ST (to be ordered separately), to light working area beneath









Assortment of 85 tools for universal maintenance

Fixing accessories included.





Assortment recommended in combination with: RSC50 - RSC50 E - RSC50 F - RSC50 G RSC50 H - RSC50 I - RSC50 L

Qu	Beta N.	
17	combination wrenches 6÷22 mm	42
12	offset hexagon key wrenches O 2÷10 mm	96N/SC12
13	1/2" square drive hexagon sockets with rail ○ 10÷22 mm	920A/SB13
8	1/2" square drive hexagon sockets with rail ○ 23÷32 mm	920A/SB8
1	1/2" drive extension bar 125 mm	920/21
1	1/2" drive extension bar 255 mm	920/22
1	1/2" drive universal joint	920/25
1	1/2" drive sliding T-handle	920/42
1	1/2" drive reversible ratchet ®	920/55
1	circlip pliers straight, internal ⊙ 180 mm	1032
1	circlip pliers straight, external • 175 mm	1036

Qι	uantity/Description	Beta N.
1	250 mm	1048N
1	self - locking pliers 240 mm	1052
1	heavy-duty diagonal cutting nippers \$\mathbb{L}\$ 160 mm	1084BM
1	electrician's scissors, straight blades	1128BMX
1	half-round needle nose pliers = 180 mm	1150BM
1	extra-long needle nose pliers 160 mm	1166BM
7	screwdrivers for slotted head screws ● 3x75 - 3,5x100 - 4x125	1260
	5,5x150 - 6,5x150 - 8x200 - 10x200 mm	
4	screwdrivers for cross head Phillips® screws ◆ PH0x60	1262/S4
	PH1x80 - PH2x100 - PH3x150 mm	
1	engineer's hammer 300 g	1370
1	soft face hammer Ø 35 mm	1390
1	measuring tape 5 m	1692
5	set of 5 second-cut files, with handles 200 mm	1719BMA/S5
1	hacksaw frame, aluminium handle	1725
1	plastic oil can 150 cc	1754
1	snap - off blade utility knife	1771





Assortment of 133 tools for universal maintenance

Fixing accessories included.





Assortment recommended in combination with: $\ensuremath{\mathsf{RSC50\,I}}$ - $\ensuremath{\mathsf{RSC50\,L}}$

Qı	Quantity/Description		Quantity/Description	Beta N.
6	pin punches 2 ÷ 8 mm	31/SP6	1 measuring tape 5 m	1692/5
6	2 drift punches, 1 centre punch, 3 flat chisels with metal holder	38/SP6	1 flexible magnetic pick-up tool	1712E/2
17	combination wrenches 6÷22 - 24 - 27 - 30 mm	42/S17X	1 two cutting edges scraper 200 mm	1717A
12	double open end wrenches 6x7 ÷ 30x32 mm	55/S12X	1 three - cutting edges scraper 200 mm	1717B
8	offset hexagon key wrenches 2 ÷ 10 mm	96T/S8	5 second cut files 200 mm	19BMA8/S5
8	offset key wrenches,	97TX/SC8	1 metal pressure oil can 200 cc	1751N
	for Torx® head screws ○ T9 ÷ T40		1 snap - off blade utility knife	1771BM
1	Adjustable wrench 250 mm	111E	1 1/2" drive extension bar 125 mm	920/21
13	1/2" square drive hexagon sockets with rail ○ 10 ÷ 22 mm	920A/SB13	1 1/2" drive extension bar 250 mm	920/22
8	1/2" square drive hexagon sockets with rail ○ 23 ÷ 32 mm	920A/SB8	1 1/2" drive universal joint	920/25
7	socket drivers for cross head Phillips® screws ● ● 1,2x65 -	920LH/SB7	1 1/2" drive sliding T-handle	920/42
	1,2x8 - 1,6x9 - 2x12mm - PH1-PH2-PH3		1 1/2" drive reversible ratchet ®	920/55
1	circlip pliers straight, internal ⊙ 180 mm	1032	1 pry bar	963
1	circlip pliers bent, internal © 170 mm	1034	1 Diagonal cutting nippers \$\frac{1}{60}\$ mm	1082BM
1	circlip pliers straight, external • 175 mm	1036	1 tronchesi a grande effetto taglienti diagonali 🕻 160 mm	1084BM
1	circlip pliers bent, external ● 175 mm	1038	1 toggle lever assisted end cutting nippers \$\mathbb{C}\$ 180 mm	1092V
1	250 mm	1048N	1 half-round needle nose pliers = 180 mm	1150BM
1	self - locking pliers 240 mm	1052	1 Extra-long needle nose pliers ● 160 mm	1166BM
1	tin snips 250 mm	1112	1 Extra-long bent needle nose pliers ● 160 mm	1168BM
1	electrician's scissors, straight blades	1128BMX	2 screwdrivers for slotted head screws ● 8x200 - 10x200 mm	1260
8	set of screwdrivers 2,5x50 - 3x75 - 4x100 - 5,5x125 -	1263/D8	1 screwdrivers for cross head Phillips® screws	1262
_	6,5x150 - PH0 - PH1 - PH2	40=0	● PH3 8x150mm	
2	engineer's hammer 300 - 600 g	1370	1 sliding gauge	1650
1	soft face hammer 35	1390	1 hacksaw frame, aluminium handle 420 mm	1725





019000080


3,9 kg





Automatic hose reel with 8x10 mm hose

- · Shockproof plastic body, for air or water
- Max. operating pressure: 15 bar
- Braided polyurethane hose
- Polypropylene frame
- · Device for automatically fixing hose at required length
- · Rack mechanism can be disabled to keep hose pulled
- Operating temperature range: -5 °C / +50 °C
- Supplied with a 180° swivel bracket and an additional quick connection bracket





D	D1	
Ø 12 mm	Ø8mm	



1843

018430215


L 15+1 m

4,2 kg










- With thermal protection switch
- Coiled cable length: 15 m
- Cable length out of drum: 1 m
- · Supplied without incoming cable
- Rack can be disabled to keep cable pulled
- Max. power (rolled up): 1300W (230V-20°C)
- Max. power (unrolled): 2300W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket





1844












- · With thermal protection switch
- Cable length out of drum: 1 m
- Supplied without incoming cable
- Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket





	Cable type	L	kg	
1844 10-H05	H05VV-F	10+1 m	3,9	018440310
1844 15-H05	H05VV-F	15+1 m	4,6	018440315
1844 15-H07	H07RN-F	14+1 m	5,2	018440317








Automatic cable reel with 3Gx1.5 mm² cable and SCHUKO type socket

- 3Gx1.5 mm² cable
- · With thermal protection switch
- · Length of cable out of drum: 1 m
- Supplied with 1.5 m incoming cable and SCHUKO type socket
- · Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 1500W (230V-20°C)
- Max. power (unrolled): 2500W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket







	Cable type	L	kg	
1844 15-H05/SCK	H05VV-F	15+1 m	5,0	018440316
1844 15-H07/SCK	H07RN-F	14+1 m	5,7	018440318

1845

018450365

L 12+1 m

4,9 kg








Automatic cable reel with 3Gx2.5 mm² cable

- 3Gx2.5 mm² cable
- · With thermal protection switch
- · Cable length out of drum: 1 m
- Supplied without incoming cable
- · Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 2000W (230V-20°C)
- Max. power (unrolled): 3000W (230V-20°C)
- Supplied with a 180° swivel bracket and an additional quick connection bracket







1846








- 4Gx1.5 mm² cable
- · Without thermal protection switch
- Cable length out of drum: 1 m
- Supplied without incoming cable
- Rack mechanism can be disabled to keep cable pulled
- Max. power (rolled up): 1400W (400V-20°C)
- Max. power (unrolled): 1900W (400V-20°C)
- · Supplied with a 180° swivel bracket and an additional quick connection bracket









5000 RSC50/PLED-ST

80 g

3 050001714

Aluminium profile with LED strip, for workshop equipment combination RSC50

- 6.5W IP20 LED strip; length: 50 cm
- · Supplied complete with 2 cables (40 cm and 170 cm long respectively)





· Convenient fixing through magnets

80 g



To be applied under worktops, under/in suspended cabinets, under shelves and linear/corner guards, to light working areas.

Aluminium profile with LED strip and SOFT TOUCH switch, for workshop equipment combination RSC50

- 6.5W IP20 LED strip; length: 50 cm
- Supplied complete with two cables (40 cm and 170 cm long respectively)





 SOFT TOUCH switch for switching on and lighting power adjustment







. 050001716

Power supply, for LED strip, for workshop equipment combination RSC50


- 24VDC 22W power supply
- · Can supply power to up to 3 6.5W LED strips



200 g

5000 RSC50/KFC Kit of 10 coloured drawer fronts, for workshop equipment combination RSC50





To customize colour of drawer fronts for workshop equipment combination RSC50.

Recommended for use in combination with worktops in anthracite grey RAL7016 (-A).





RAL 7016

10x



20 g

3 050001721



LED strip controller, with RF remote control for workshop equipment combination RSC50

Kit contents:

- 1 mini receiver
- 1 wireless RF remote control

Specifications of RF remote control:

- ON/OFF button
- BRIGHT +/- button: allows manual adjustment of lighting power
- 25%/50%/100% button: allows automatic adjustment of lighting power
- Battery: 3V CR2025 (included)
- Dimensions: 86 (L) x 40 (W) x 7 (H) mm

Specifications of mini receiver:

- Input voltage: 5V -24VDC
- Rated output current: 5A
- Peak output current: 12A
- Operating temperature: -20 °C ÷ +35 °C

Integrated features:

- Memory
- Mode (manual/automatic brightness)
- · Brightness adjustment



		5000 RSC50/PLED-ST	5000 RSC50/ PLED	5000 RSC50/ ASL	5000 RSC50/ CTR
		1x Touch here	1x 1x	E.	1200
	A	1x	-	1x	-
	В	-	1x	1x	1x
	A	1x	1x	1x	-
77Beta	В	-	2x	1x	1x
	A	1x	2x	1x	-
™Beta ™Beta ™Beta	В	-	3x	1x	1x

1.2 kg



10x

3 050001731



5000 RSC50/KFC3000



= 5000 RSC50/**KFC5015** ■ 050001734



RAL 5015

10x





Computer wall bracket



1 kg

. 088880470

made of steel



PM/5C

1,8 kg

5-tray tool holder, made of plastic, with support

• Interior dimensions of tray: 95x120 mm



PM/6C

3 088880440

970 g

522 g

6-tray tool holder, made of plastic, with support

• Interior dimensions of tray: 80x60 mm





. 088880445



CPMB/3C


2 kg

CPMB/5C

1,5 kg

Workbench small parts containers with 3 drawers

- Outer frame made of PP
- · Small parts drawers made of PET
- Stackable
- Interior drawer dimensions: 160x107x105h mm



- Unbreakable
- · Glass effect transparency unchanged over time
 - Scratchproof
- · Resistant to oil, acids and aggressive chemicals
 - · Also suitable for use in food products

Workbench small parts containers with 5 drawers

- · Outer frame made of PP
- · Small parts drawers made of PET
- Stackable
- · Interior drawer dimensions: 90x86x62h mm



€ 600x155x175 mm



€ 600x133x132 mm





Kit of 10 removable trays for small parts containers CPMB/5C



10x



830 g

Kit of 6 removable trays for small parts containers CPMB/3C









ACCESSORIES AND TOOL HOOKS



Socket rails



	L mm		4
SB 1	210	088880201	10pz
SB 2	280	088880202	10pz
SB 3	360	088880203	10pz



Socket clips for rails SB



	L mm		\$
MB 0	1/4	088880210	50pz
MB 1	3/8	088880211	50pz
MB 2	1/2	088880212	50pz



Snap hooks with expansion bolts VE1




	(E)	T)
GM 6,5	088880250	5pz
GM 9,5	088880251	5pz
GM 13	088880252	5pz
GM 16	088880253	5pz
GM 19	088880254	5pz
GM 25	088880255	5pz

KIT/GPS

Kit of 40-mm GPS hooks with screws VE1

🥪 50pz





8889P2


- 088890107

1,3 kg

4 088890117

1,9 kg

Parallel partitions for standard drawer Crossed partitions for standard drawer



₹ 588x367 mm



8889C2

₹ 588x367 mm








FOR PERFORATED PANELS

S55/8

3 088880420

Supports for 8 double open end wrenches, made from sheet metal



 \equiv \$55/12

3 088880421

Supports for 12 double open end wrenches, made from sheet metal

₹ 286x138x44 mm

55/S12

55/S12X

55AS/12

55MP/S12



Pliers pockets,

made from sheet metal



3 088880402

Tool pockets, made from plastic material


─ 167x55x16 mm

= \$952/10

3 088880423

Supports for 10 T-handles, made from sheet metal


■ 385x97x26 mm



= \$1719BM

➡ 088880404

Supports for 5 files, made from sheet metal



1719BMA: Q-T-P-M-R 1719BMD: Q-T-P-M-R 1719BMX: Q-T-P-M-R **SGN**


Supports for 2 mini screwdrivers, made from sheet metal



1290N-1292N-1299N/PZ 1260N-1262N-1269N/PZ 1201EN-1202EN-1209EN/PZ **S42/17**

Supports for 17 combination wrenches, made from sheet metal


₩ 577x42 mm



S951/6


000000420

Supports for 6 T handle wrenches with hexagon male ends, made from sheet metal



SPG11

Supports for screwdrivers, made from sheet metal




 $n.2 \emptyset = 10 \text{ mm}$ $n.1 \emptyset = 12 \text{ mm}$ **S1203/8**

Supports for screwdrivers,

made from sheet metal


₹ 283x49x35 mm



 \equiv \$96T/8

Supports for 8 offset hexagon key wrenches, with high torque handles, made from sheet metal

== 282x49x45 mm




96T/SPV

🖳 000960958

Supports for 11 offset hexagon key wrenches, with high torque handles, made from sheet metal

₹ 282x49x50 mm





ACCESSORIES





3D PLANNER

CONFIGURE YOUR WORKSHOP IN 3D ONLINE

IMAGINE AND CREATE...

DRAWTHE WALLS

Create the walls according to the dimensions of your workshop.



The state of the s

DESIGN

YOUR WORKBENCH SYSTEM

Select and assemble the component parts, to make your own combination.

VIEWTHE RESULT IN 3D

The combination is immediately displayed in 3D and can be viewed from different angles.



CRON WHENCE OF THE PROPERTY O

REQUEST

A QUOTE

Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.




CUSTOMIZED MODULES ON REQUEST

FILL YOUR DRAWERS WITH CUSTOMIZED MODULES IN SIX STEPS







Determine your needs and send your project to the Beta dealer



We will receive and codify your initial assortment of the project



We will execute the design



We will submit the final layout for your approval



We will build the soft modules in Beta's factory in Sovico



We will deliver the tools in the customized modules



