

MODULAR SYSTEM

QUALITY



DESIGN



Racing System C55

The modular workshop combination that allows you to create a modern work environment customized to fit your space and storage needs.

Choose from a wide range of solutions sharing high quality standards, designed to make the most of your time by optimizing work.



Space organization

A rationally organized workbench system as synonymous with optimized work

Design

Refined finish to make your workplace a neat, aesthetically captivating environment

Quality

Beta's best "Made in Italy"
quality to furnish
your workshop



Modularity

Modular workshop system,
customized to fit your space
and storage needs

C55

055000000

Comprehensive workshop equipment combination

Comprehensive combination comprising:

- Single-door tool cabinet (C55A1)
- Two-door tool cabinet (C55A2)
- Workbench (C55B/2)
- Workbench with sockets (C55PRO B/2)
- Mobile roller cab with 7 drawers (C55C7)
- Fixed module with 2 storage drawers (C55M2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)
- Tool panel with shutter (C55PS)



Cabinets fitted with 3 interior, vertically adjustable shelves



Perforated panels for holding tools




Compressed air outlet with built-in roller Ø 8 mm. Length: 10 m



Aluminium drawer front complete with quick release system throughout length of drawer



Aluminium shutter with lock for protecting tools



Suspended cabinets fitted with gas springs making it easier to open/close doors



Framework



Schuko socket 16+10A and EU Plug 16+10A



Drawers can accommodate thermoformed tool trays available in price list



Mobile roller cab with 2 fixed and 2 steering wheels, making it easy to pull it out



Adjustable supporting feet suitable for uneven surfaces



C55AB


055000020

Workshop equipment combination

Combination comprising:

- Two-door tool cabinet (C55A2)
- Workbench (C55B/2)
- Fixed module with 7 drawers (C55M7)
- Fixed service module (C55MS)
- Tool panel with suspended cabinets (C55/2PM)

407 kg




C55PB/3 055000035

Workshop equipment combination

Combination comprising:

- Workbench (C55B/2)
- Fixed module with 8 drawers (C55M8)
- Fixed module with 2 storage drawers (C55M2)
- Wall tool system with shutter (C55PS)



C55B/2



055000101



055000111

2-m-long workbench

Two versions differ in worktop colour

Worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 2 modules under worktop
- Vertically adjustable feet

100 kg



C55PRO B/2



055000151



055000171

2-m-long workbench


Two versions differ in worktop colour

With worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

Built-in sockets and roller:

- Schuko socket+16+10A
- EU Plug 16+10A
- Compressed air outlet and roller, Ø 8 mm. Length: 10 m
- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 2 modules under worktop
- Vertically adjustable feet

105 kg



C55B/2,8



055000261



055000281

2.8-m-long workbench

Worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 3 modules under worktop
- Vertically adjustable feet

Two versions differ in worktop colour

122 kg



C55PRO B/2,8



055000271



055000283

2.8-m-long workbench

Worktop (2850x700) covered with a shockproof, non-scratch PVC-coat, resistant to hydrocarbons

Built-in sockets and roller:

- Schuko socket+16+10A
- Plug 16+10A
- Compressed air outlet and roller Ø 8 mm. Length: 10 m
- Holes for a vice (1599F/150, to be ordered separately)
- Can accommodate 3 modules under worktop
- Vertically adjustable feet

Two versions differ in worktop colour

127 kg



C55B-D4



055000109



055000119


Two versions differ in worktop colour

4-m-long double workbench with central leg

Painted sheet metal worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

- Holes for a vice (1599F/150, to be ordered separately)
- Vertically adjustable feet
- Central double leg with slide-away door compartment, 365x750 mm

185 kg



C55PRO B-D4



055000159



055000179

Two versions differ in worktop colour

4-m-long double workbench with central leg


Painted sheet metal worktop (4100x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

Built-in sockets and roller:

- Schuko socket+16+10A
- EU Plug 16+10A
- Compressed air outlet and roller Ø 8 mm. Length: 10 m
- Holes for a vice (1599F/150, to be ordered separately)
- Vertically adjustable feet
- Central double leg with slide-away door compartment, 365x750 mm




190 kg



C55B/G

Plain leg for workbench

With vertically adjustable feet



28 kg

right leg

055000104

left leg

055000105




C55B/GAA

Leg with built-in roller for workbench

Built-in roller, Ø 8 mm. Length: 10 m

With vertically adjustable feet



33 kg

right leg

055000166

left leg

055000156




C55B/GE

Leg with power sockets for workbench

With Schuko socket +16+10A and EU Plug 16+10A

With vertically adjustable feet



28 kg

right leg

055000154

left leg

055000165




C55B/GDS

055000291

Double leg for adjoining workbenches

Compartment with slide-away door, 365x750 mm

With vertically adjustable feet



37 kg



C55B PT/2



055000106



055000116

Two versions differ in worktop colour

2-m-long worktop, for workbench

Painted sheet metal worktop (2050x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

With rear crossbar for fixing modules

Holes for a vice (1599F/150, to be ordered separately)

43 kg



C55B PT/2,8



055000266



055000286

Two versions differ in worktop colour

2.8-m-long worktop, for workbench

Painted sheet metal worktop (2850x700 mm) covered with a shockproof, non-scratch PVC coat, resistant to hydrocarbons

With rear crossbar for fixing modules


Holes for a vice (1599F/150, to be ordered separately)

61 kg



C55RB

Scratch-proof PVC coat
resistant to hydrocarbons



for 2-m-long workbench

055000195

for 2.8-m-long workbench

055000196

for interior angle

055000197

1599F/150



015990150

Parallel bench vice

with hardened top and slides



L1	BxH	Ø	A Max
150 mm	125x62 mm	13 mm	200 mm

C55C7


055000201

Mobile roller cab with seven drawers

7 drawers (588x367 mm), with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays

79 kg



h	max
70 mm	30 kg
245 mm	40 kg



C55C8


055000206

Mobile roller cab module with eight draw

8 castors (588x367 mm) with ball bearing slides

- 4 castors Ø 100 mm, 2 fixed (one with brake) and 2 steering
- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays

81 kg



h	max
70 mm	30 kg
175 mm	40 kg

C55M7 055000203

Workbench modules


Fixed module with seven drawers

7 drawers (588x367 mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock
- Can be fitted with foam trays



 78 kg



C55MS


055000204

Fixed service module

- Built-in waste bin
- Perforated paper roll compartment
- Storage drawer, 305x270 mm



75 kg



C55CS


055000208

Fixed module for separate waste

- Front door
- 2 capacious pull-out interior containers for separate waste collection



70 kg




C55M2

055000202

Fixed module with 2 drawers

2 drawers (588x367mm) with ball bearing slides

- Aluminium opening system throughout length of drawer
- Drawer bases protected by foamed rubber mats
- Front centralized lock



66 kg




C55MA

055000205

Fixed two-door module

- With lock
- Interior shelf, vertically adjustable



75 kg




C55MD0

055000210

Fixed oil distribution module

- 2 reels with 7m - 1/2" hose included
- Complete with 2 oil guns with digital litre counter with automatic drip catcher.
 - max. delivery rate: 0÷35 l/min
 - viscosity: 8÷5000 mPas



76 kg




C55PS

055000250

Tool wall system with shutter

- Aluminium shutter, vertically adjustable, with lock
- Removable perforated tool panel
- Supplied with framework
- 50-hook GPS kit included
- Matches 2-m-long workbench



055000255

Light grey shutter



C55PP

055000350

Tool wall system with shutter and suspended cabinet


- Aluminium shutter, vertically adjustable, with lock
- Tool cabinet fitted with gas springs, making it easier to open and close doors
- Wall panel can accommodate perforated tool panels C55/1PF (to be ordered separately)
- Supplied with framework to match 2.8-m-long workbenches



055000355

Light grey shutter


157 kg



C55/2PM 055000301

Tool wall system with 2 suspended cabinets

- 2 suspended cabinets, 1024x400x300 mm, fitted with gas springs, making it easier to open and close doors.
- Wall panel, 2050x620 mm; can accommodate perforated tool panels C55/2PF (to be ordered separately)
- Supplied with framework
- Matches 2-m-long workbench




C55/3PM 055000300

Tool wall system with 3 suspended cabinets

- 3 suspended cabinets fitted with gas springs, making it easier to open and close doors
- Wall panel can accommodate perforated tool panels C55/3PF (to be ordered separately)
- Supplied with framework to match 2.8-m-long workbenches

 132 kg



C55LMP/1 055000320

LED lamp

- Length: 1 m
- Easy to fix under wall cabinet through a pair of magnets
- ON/OFF switch
- Built-in cable and transformer, 25 W
- 1300 lumens



C55LMP/2 055000322

2 LED lamps

- length: 2 1-m-long lamps, connected to each other
- Easy to fix under cabinet through a pair of magnets
- ON/OFF switch
- Built-in cable and transformer, 18 W
- 1300 lumens



C55/1PF 055000309

Perforated tool panel


- Perforated tool panel (800x600 mm)
- Matches framework C55PP



C55/2PF 055000310

2 perforated tool panels

- 2 perforated tool panels, 1024x600 mm
- Matches item C55/2PM



C55/3PF 055000308

3 perforated tool panels

- 2 perforated tool panels (1024x600 mm) and 1 panel 800x600 mm
- Matches framework C55/3PM



C55AN




055000181



055000183

Interior angle

Two versions differ in worktop colour



32,4 kg

C55AN-PC




055000182



055000184

Interior angle with paper roll compartment

Two versions differ in worktop colour




34,6 kg

C55AN/PS

055000191

Upper closing panel for interior angle




2,4 kg

C55A1

055000411

Sheet metal single-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x420x420 mm



C55A2

055000412

Sheet metal two-door tool cabinet

- 3 removable, vertically adjustable shelves
- With lock
- Usable interior dimensions: 1770x700x420 mm




C55A1/R42

Interior shelf for tool cabinet C55A1

400x400 mm

055000461




C55A1/R42

Interior shelf for tool cabinet C55A2


700x400 mm

055000462



Tool hooks for perforated panels

KIT/GPS ☎ 088880119




GM —




	Ø
088880250	6,5
088880251	9,5
088880252	13
088880253	16
088880254	19
088880255	25

S55/8 ☎ 088880420




55/S8
55AS/8
55MP/S8

S55/12 ☎ 088880421




55/S12
55/S12X
55AS/12
55MP/S12


ST2P ☎ 088880422




TSPP ☎ 088880402



S952/10 ☎ 088880423



S1719BM ☎ 088880404




1719BMA: Q-T-P-M-R
1719BMD: Q-T-P-M-R

SGN ☎ 088880405




1290N-1292N
1299N/PZ
1260N-1262N
1269N/PZ
1201N-1202N
1209N/PZ

S42/17 ☎ 088880428




42/S17 - 42MP/S17
42/S17X - 42AS/17 - 142/S17

S951/6 ☎ 088880429



951/S6
951AS/S6X
951TX/S6

SPG11 ☎ 088880910



n.8 Ø = 7 mm
n.2 Ø = 10 mm
n.1 Ø = 12 mm

S1203/8 ☎ 088880430




1203/S8
1263/D8
1293/S8

S96T/8 ☎ 088880431



96T/S8
97TTX/S8
96T/AS8

96T/SPV ☎ 000960958



96T/S11
97TTX/S11





Your colours for your workshop

RSC55 allows you to order the benches and tool wall system with shutter in a neutral (grey) version and customize the vertical coloured inserts by choosing from 7 different adhesive tapes.

1. Order your modules in a neutral colour



2. Order the vertical insert

Now choose the colour to your taste or according to your company's colours.



C55STR adhesive tape 25 m

allows to tailor the vertical tapes of garage furniture item C55

2011			055000901
9006			055000902
3000			055000903
5015			055000904
1023			055000905
6029			055000906
9016			055000907
1035			055000909




Imagine and create...

Configure your workshop in 3D online

3D Planner

www.beta-tools.com/rsc55en



step 1

Draw the walls

Create the walls according to the dimensions of your workshop.



step 2

Design your workbench system


Select and assemble the component parts, to make your own combination.



step 3

View the result in 3D


The combination is immediately displayed in 3D and can be viewed from different angles.



step 4

Request a quote


Print the detail of the arrangement in PDF format and take it to your dealer to get a quote.







8 014230 871257



998011016



ORGANIZATION

MODULARITY